


Humbrol

Paints, Accessories & Craft Kits




Your guide to the full 2019 Humbrol range of paints and accessories starts here!





Matt Colours 14ml



Humbrol enamel paint has been the modeller's standard for decades. This superb paint can also be used as an art and craft paint on many different surfaces, both indoors and outdoors.

Satin Colours 14ml

















AA1804 Light

Aircraft Grey



131 AA1448 Mid Green



AA1465

135

163 AA1777 Dark Green

AA1780 Dark Sea Grey

AA1794 Medium

Sea Grey

AA1821 Hemp



AA6344 Light Grey

Gloss Colours 14ml









AA0031 14ml

AQ0040 50ml Brunswick Green* 20

AA0223 14ml AQ0229 50ml Crimson*

AA0758 Purple

AA0059

Dark Admiralty

21 AA0237 14ml AQ0232 50ml Black*

AA0761 14ml

AA1482 Varnish Brown 196

AA0076 Light Buff

22 AA0240 14ml AQ0246 50ml White*

200 AA6389 Pink

AA0103

35 AA0388 14ml AQ0397 50ml Varnish*

AA7081 Fluorescent Signal Green

10 AA0117 Service Brown

AA0415

209 AA7105 Fluorescent Fire Orange AA0151 14ml AQ0160 50ml French Blue*

AA0432 Pale Grey

220

AA6608 Italian Red

AA0165 14ml

AQ0174 50ml Midnight Blue*

AA0446 Ivory

AA0238

*Also available in 50ml (No.2) tinlets.

AA0196 14ml

AA0518 Sea Blue

AA0239 **British Racing**

Green

Metallic Colours 14ml



AA0610

AA0134 Copper

171 AA1852 Antique Bronze AA0179 14ml AQ0188 50ml

191 AA6272 Chrome Silver **AA0549** Green Mist

201 AA6392

AA0552 Sunset Red

AA7222

Moonlight Blue

AA0566 Baltic Blue

AA0583

AA0597 Brass

AA0607

Metalcote Colours 14ml

27001 AC5008 Aluminium

27002 AC5011 Polished

27003 AC5025 Polished Steel

27004 AC5039 Gunmetal



Start as you mean to finish.

HUMBROL EVOCO




Matt Colours 14ml



With the Humbrol Acrylic range having grown to over 100 colours, it will satisfy almost every modeller's needs. Being water-based it's easy to apply both by brush, which can then be cleaned with water, or by airbrush, thinned with water or a small amount of Acrylic Thinners, depending on personal preference. The paint is hard wearing and can be used on most surfaces, both indoors and outdoors.

Gloss Colours 14ml



Metallic Colours 14ml


AB0238 Arrow Red AB0239 British Racing

AB0220 Italian Red



Matt Rail Colours 14ml

The Humbrol acrylic range of popular railway colours have been developed to suit many variations on the UK rail network of multiple eras. These paints are also ideally suited for weathering, dry brushing and re-touching, taking your model railways hobby to a new level.



www.humbrol.com



Humbrol™ Paint & Brush Sets



Enamel Creative

Paint and Brush Set

3 brushes 36 Pastel Green 37 Bright Green 42 Violet 44 Pastel Blue 46 Orange

57 Pink 58 Magenta 99 Lemon AA9063



Enamel Metallic

Paint and Brush Set

3 brushes 11 Silver

16 Gold

52 Baltic Blue 53 Gunmetal

54 Brass 55 Bronze

56 Aluminium 201 Black **AA9062**



Enamel Matt

Paint and Brush Set

3 brushes 24 Yellow

24 Yellow 25 Blue

29 Dark Earth

30 Dark Green 33 Black

34 White 60 Scarlet

61 Flesh AA9061

See pages 124 through 127 for acrylic and enamel colour charts





The Paint & Brush Sets here are for those wanting a good concise selection of paints and brushes in one easy purchase. These sets are particularly helpful for anyone using these excellent paints for non-plastic modelling hobbies and tasks.





Enamel Gloss

Paint and Brush Set

- 3 brushes 1 Grey Primer 2 Emerald
- 14 French Blue 18 Orange 19 Bright Red
- 21 Black 22 White 69 Yellow

AA9060



Acrylic Scenic

Paint and Brush Set

3 brushes 63 Sand 70 Brick Red 91 Black Green

91 Black Green 99 Lemon 113 Rust 117 Light Green

186 Brown 226 Green **ABA9061**



Acrylic Figure

Paint and Brush Set

3 brushes

11 Silver 12 Copper

16 Gold

33 Black 34 White

53 Gun Metal

61 Flesh

62 Leather

AB9060

A great gift idea!

The perfect package for any craft project



Start as you mean to finish.



A fast drying acrylic-based paint for use not only on plastic kits, but also on other substrates including, polycarbonate, wood, glass, ceramics, metal, card and many more craft and DIY uses.

Matt Colours 150ml































Gloss Colours 150ml























Satin Colours 150ml







Metallic Colours 150ml





AD6056



AD6191

Chrome Silver



Fluorescent Colours 150ml





Humbrol™ Glass Etch Spray

Glass Etch 150ml

Use Humbrol Glass Etch to transform mirrors, interior doors and windows.
Used in conjunction with stencils, a wide range of designer effects can be created.

















Multi-Effect Sprays 150ml

Ideal for a wide range of uses; plastic kits, slot cars, remote control subjects, along with decorative and craft projects. Humbrol Multi-Effect Sprays must be applied on a black undercoat/surface. To achieve optimum durability, we also recommend using Humbrol acrylic varnish.











Metalcote Colours 150ml





Humbrol Metalcotes have been designed to give the appearance of polished metals. Once dry, polish with a soft cloth until you reach the desired look.



Humbrol™ Varnish Spray

Acrylic Varnish 150ml

Suitable for applying over acrylic paint.









Enamel Varnish 150ml





AD6999 Satin Varnish







Humbrol Adhesives & Fillers



Liquid Poly

A solvent-based cement suitable for plastic model kits only. The product is a lower viscosity version of Polycement to enable application by brush

AE2500 28ml bottle



Clearfix

A solvent-based polymer solution for use as an adhesive on clear plastic parts without the risk of the 'frosting' effect sometimes seen using traditional glues.

It can also be used for making small windows or translucent areas of 3mm or less.

AC5708 28ml bottle



Poly Cement

A solvent-based cement suitable for plastic model kits only.

AE4021 12ml medium (tube) **AE4422** 24ml large (tube)



Balsa Cement

A quick-drying transparent cement for balsa, soft woods and cork. **AE0603** 24ml (tube)




Model Filler

A fine grade model filler which can be sanded, filed and painted once dry. $\pmb{\mathsf{AE3016}} \ 31 \mathrm{ml} \ (\mathsf{tube})$

PrecisionPoly Cement

A solvent-based cement suitable for plastic model kits only. Its viscosity is low to enable precision delivery of fine amounts of cement

AE2720 20ml precision poly dispenser



Humbrol Coatings & Thinners

Enamel Thinners

Used to thin down Humbrol Enamel paints most commonly for airbrushing. Can also be used to thin down other solvent based products such as Enamel Washes, Modelcotes and Model Filler.

AC7501 28ml bottle AC7430 125ml bottle





Acrylic Thinners

Humbrol Acrylic Thinners has been especially formulated to enhance the quality and usability of Humbrol Acrylic paint when brushing and airbrushing. The Thinners includes a retardant which reduces the drying rate and greatly improves the use of Acrylic paint when airbrushing. Can also be used to clean your brushes after use with Acrylic paint.

AC7433 125ml bottle



Clear

These thin, water-based self-levelling varnishes are ideal for brush and airbrush. You have the option of three finishes, these are; Gloss, Matt or Satin with a higher level of any achieved by applying further thin coats.

AC7431 Gloss 125ml bottle AC7434 Matt 125ml bottle

AC7434 Matt 125ml bottle
AC7435 Satin 125ml bottle



Decalfix

A water based solution that softens decals and secures them in place by drawing the decal around and in any panel lines. Decals are permanent once dry.

AC6134 28ml bottle AC7432 125ml bottle



Maskol

A rubber solution that can be applied to surfaces to prevent them from being painted. When the paint has dried the Maskol can simply be peeled off.

AC5217 28ml bottle

Gloss Cote

A solvent-based varnish that goes on clear and dries clear, overcoming the yellowing effect associated with traditional varnishes. The product dries to a smooth, high-sheen gloss finish.

AC5501 28ml bottle

Satin Cote

A solvent-based varnish that goes on clear and dries clear, overcoming the yellowing effect associated with traditional varnishes. The product dries to a smooth, mid-sheen satin/eggshell finish.

AC5401 28ml bottle

Matt Cote

A solvent-based varnish that goes on clear and dries clear, overcoming the yellowing effect associated with traditional varnishes. The product dries to a smooth, low-sheen matt finish.

AC5601 28ml bottle















Humbrol Weathering Powders are a versatile means of adding realistic weathering effects to your models, figures and dioramas. They can be mixed to create different shades, enabling a full range of finishes including dust, mud, soot, rust and many more.



Enamel Washes 28ml

Enhance your models with the Humbrol Enamel Washes range, designed for a wide range of uses they are easy to use and very durable.





a MUST for all modellers!

The Humbrol Work Station has many features:

- · Double depth sections for holding 9 x 14ml Humbrol Enamel or Acrylic pots, or 3ml Humbrol Acrylic pots
- Double depth water cup holders, allow the modeller to place Humbrol 28ml products, such as; matt, satin & gloss cotes, Decalfix, Maskol, Clearfix, Thinners and Liquid Poly
- · Designed to fit the new Humbrol A4 Cutting mat within the working area
- . Two mixing areas either side of the Cutting Mat
- Easy to hold handles either side of the Work Station
- Rubber feet, which allows the modeller to place on a flat surface
- A4 Instruction sheet holder
- · Brush and tool holders.

The Humbrol Work Station is manufactured from a tough and durable material that can't be melted by Humbrol Poly Cement.

Please Note: Paints, brushes and other Humbrol products shown are not included.



Work Statio



Humbrol™ **Colour Chart**

This year we've also updated our Enamel Paint and Conversion Chart which provides a great overview of the colours on offer and an in-depth cross reference chart with other popular paint brands.

P1158 Humbrol Enamel Paint and Conversion Chart





Coloro Brushes



The Coloro range of brushes are perfectly suited for all paint types, but are particularly good when used in conjunction with the new Humbrol Acrylic Paint, Made from man-made fibre

Size 00 - AG4030 Size 0 - AG4000 Size 1 - AG4001 Size 2 - AG4002 - AG4004

Coloro pack. Size 00, 1, 4, 8 - AG4050

Evoco Brushes



Made from natural hair, Evoco brushes are the perfect "all-round" brush for many model and hobby uses, keeping their shape and quality long after their first use.

Size 000 - AG4131 - AG4100 Size 0 - AG4102 Size 2 - AG4104 Size 4 Size 6 - AG4106 - AG4108 Size 8

Evoco pack. Size 0, 2, 4, 6 - AG4150

Palpo Brushes



The Palpo natural sable hair brushes are the ultimate modelling brush, keeping their points and shape to allow for accurate and detailed painting, particularly figure work.

Size 00000 - AG4233 - AG4231 Size 000 - AG4200 Size 0

Palpo pack. Size 000, 0, 2, 4 - AG4250

Detail Brushes



These ultra fine sable hair brushes are ideal for painting small detailed areas on your models/ figures. The easy grip ergonomic handles make them a pleasure to use for short or long periods of time.

Suitable for Enamel and Acrylic paints.

Detail pack. Size 00, 0, 1, 2 - AG4304

Flat Brushes



Made from high quality soft synthetic hair, the Flat Brush pack is perfect for creating a smooth professional finish. Ideal for painting large surface areas, weathering, adding washes and helping to apply decals.

Suitable for Enamel and Acrylic paints.

Flat pack. Size 3, 5, 7, 10 - AG4305

Stipple Brushes



The Stipple Brushes have been designed with heavy dry brushing and weathering in mind. Made from a tough natural hair, which is perfect when adding those finishing touches when bringing your models to life.

Suitable for Enamel and Acrylic paints, as well as Weathering Powder.

Stipple pack. Size 3, 5, 7, 10 - AG4306

Top tips on how to use Humbrol products are available at www.Humbrol.com. You can also see the products in action on the Official Humbrol YouTube Channel, www.youtube.com/Humbrol



Humbrol™ Tool Sets & Mats



Tool Sets

The kit modeller's tool set

Specifically designed for the Airfix and plastic kit modeller sprue clippers, tweezers, needle file and knife; all designed for making the perfect model.

AG9150 - Small AG9159 - Medium

A3 Cutting Mat **A4 Cutting Mat**

The kit modeller's mat

The "Kit Modellers" Cutting Mat is a self-sealing cutting mat with graphics and scale markings to suit all categories of plastic modelling. A3 AG9157 A4 AG9155




Humbrol™ Airbrushes


All Purpose Airbrush

A great beginners airbrush to introduce the skill of airbrushing at a great value price. Use with cans of Humbrol Airbrush Propellant or a compressor. All purpose airbrush (blister)

Airbrush Powerpack

Airbrush Powerpack Airbrush powerpack 400ml AV6941





The full range of accessories is designed to meet every modeller's needs. Whether it is your first ever model build or your collection is in to the hundreds these products will help you get the most out of your build.



Paint Products	Usage	Substrate	
Enamel Paint	A solvent-based, fast-dry paint developed for use on plastic model kits but which can also be used on other substrates (see right). Matt, Satin, Gloss, Metallic, Metalcote and Clear finishes are available.	A wide range of surfaces including most plastics, wood, glass, ceramics, metal, cardboard, sealed plaster, sealed hardboard and many more.	
Acrylic Paint	A water-based, fast dry paint developed for use on plastic model kits but which can also be used on other substrates. Matt, Satin, Gloss, Metallic and Clear finishes are available.	A wide range of surfaces including most plastics, wood, glass, ceramics, metal, cardboard, sealed plaster, sealed hardboard and many more.	
Acrylic Spray	A solvent-based, fast-dry paint developed for use on plastic model kits but which can also be used on other substrates (see right). Matt, Satin, Gloss, Metallic and Clear finishes are available.	A wide range of surfaces including most plastics, wood, glass, ceramics, metal, cardboard, sealed plaster, sealed hardboard and many more.	
Varnish Spray	Protects and creates a desired finish: Matt, Satin & Gloss.	Overcoat for the applicable paint type.	
Metal Cote Spray	Creates a polished look once dry and buffed.	A wide range of surfaces including most plastics, wood, glass, ceramics, metal, cardboard, sealed plaster, sealed hardboard and many more.	
Weathering Powder	Used to create realistic weathered effects.	Weathering Powder can be applied to most substrates depending on the method. For full details, please visit the Humbrol website.	
Enamel Wash	Used to create realistic weathered, oiled and grime effects on scale models.	Humbrol Enamel Washes can be applied to most substrates depending on the method. For full details, please visit the Humbrol website.	
Glues	Usage	Substrate	
Poly Cement	A solvent-based cement suitable for plastic model kits only.	Common plastics used to manufacture model kits including polystyrene and ABS. The product works by melting the plastic on application and 'welding' two glued pieces of plastic together to form a strong bond.	
Model Filler	Fills hairline cracks and gaps between plastic parts. The product can be sanded when fully dry using a fine grade of sandpaper and painted.	Plastic model kits.	
Balsa Cement	A quick-drying transparent cement for balsa, other soft woods and cork.	Balsa, other soft woods and cork.	
Detail Application	Usage	Substrate	
Clearfix	A solvent-based polymer solution for use as an adhesive on clear plastic parts without the risk of the 'frosting' effect sometimes seen using traditional glues and for making small windows or translucent areas of 3mm or less.	Common plastics used to manufacture model kits including polystyrene and ABS.	
Decalfix	A water-based solution for softening decals and securing them into position.	Decals are usually applied onto painted surfaces. Care should be taken to avoid 'silvering' over matt paints.	
Maskol	A rubber solution that can be applied to surfaces to prevent them being painted. When the paint has dried the Maskol can be simply peeled off.	Common plastics used to manufacture model kits including polystyrene and ABS and a wide variety of other applications including glass.	
Enamel Thinner	Thinning down of solvent-based enamel paints, most commonly for airbrushing.	Enamel paint and other Humbrol solvent based products.	
Acrylic Thinner	Thinning down of Humbrol Acrylic paints, most commonly for airbrushing.	Acrylic paint.	
Finishing	Usage	Substrate	
Mattcote/Satincote/ Glosscote	A solvent-based varnish that goes on clear and dries clear, overcoming the yellowing effect associated with traditional varnishes. The product dries to a smooth, low-sheen matt finish.	Common plastics used to manufacture model kits including polystyrene and ABS, as well as MDF. Matt cote is usually applied as the final coat to a fully painted and decaled model.	
Clear	A water soluble, self-levelling medium in either gloss, matt or satin that can be used to prepare surfaces. Gloss varnish can be used to prepare surfaces for decals and to improve the appearance of clear parts.	Humbrol Enamel and Acrylic Paint.	

126

Humbrol offers a fantastic range of products that have many applications and can be used on a wide variety of surfaces. The following table is designed to help match the correct product for the job, ensuring a perfect finish every time.

Application	Drying Time	How To Clean
Brush straight from the tin. Airbrush with a suitable thinner such as Humbrol Enamel Thinners. Two thin coats are preferable to one thick coat. The usual thinning ratio is 2 parts paint to 1 part Humbrol Enamel Thinner. Note that Metalcote colours are designed to be polished when fully dry.	Gloss: 1-2 hours. Matt & Satin: 20-40 mins touch dry, up to 24 hours for hard dry. Metallics: hard dry in approx. 10 days. Recoat: 6 hours minimum.	Humbrol Enamel Thinners when wet. Product is permanent once dry.
Brush straight from the tin or Airbrush with a suitable thinner such as water. Two thin coats are preferable to one thick coat. The usual thinning ratio is 2 parts paint to one part Humbrol Acrylic Thinner.	1-2 hours 'hard dry', allow longer for Gloss and Metallic finishes.	Acrylic Thinners or water when wet, cellulose when dry.
Spray at least 25cm from the substrate and spray with an even back and forth action.	15-30 minutes.	Can be removed if not fully dry with Humbrol Enamel Thinners. Product is permanent once dry.
Spray at least 25cm from the substrate and spray with an even back and forth action.	15-30 minutes.	
Spray at least 25cm from the substrate and spray with an even back and forth action. Once dry polish with a soft dry cloth.	30-60 minutes, for best results leave for 24 hours.	
Weathering Powder can be applied dry or mixed with several Humbrol products. For full details, please visit the Humbrol website.	Dependent of application methods.	Dependent of application methods.
Brush straight from the jar. Thin with Humbrol Enamel Thinners. More details will are available on the Humbrol website.	10-20 minutes.	Humbrol Enamel Thinners.
Application	Drying Time	How To Clean
Directly onto plastic model kits. A cocktail stick can be useful to apply sparingly to small areas or fine details.	Surface dry in 10-20 minutes. Fully dry in 1 hour.	Can be removed if not fully dry by re-dissolving with Humbrol Liquid Poly or Precision Poly. Product is permanent once dry.
Directly onto substrate without excessive application of product. If gaps are deep two thin coats are preferable to one thick coat.	Surface dry in 1-2 hours. Fully dry in 24 hours.	Wipe away using a damp cloth. Product is permanent once dry.
Directly onto substrate.	20-30 minutes.	Wipe away using a damp cloth. Product is permanent once dry.
Application	Drying Time	How To Clean
A cocktail stick is usually the most practical means of application. Run a small drop of Clearfix around the edge of the window then draw across the opening to produce a thin membrane.	24 hours.	Wipe away using a damp cloth. Product is permanent once dry.
Brush on to decals or immerse them in Decalfix for approx. 45 seconds or until softened. Slide off using a brush and dab dry with tissue paper.	20-30 minutes. Do not force dry decals as they may crease or shrivel.	Wipe away using a damp cloth. Product is permanent once dry.
Brush only. Apply to surface, allow to dry and paint over. When paint is dry peel off the Maskol.	15-20 minutes.	Wipe away with a damp cloth.
Brush or Airbrush.	Paint drying times may vary with the addition of Enamel Thinners.	Humbrol Enamel Thinners.
Brush or Airbrush.	Paint drying times may vary with the addition of Acrylic Thinners.	Water.
Application	Drying Time	How To Clean
Brush or airbrush. Thin suitably when airbrushing using Humbrol Enamel Thinners.	Surface dry in 1 hour. Fully dry after 24 hours. Drying times will vary according to ambient temperature and humidity. Recoat after 24 hours.	Humbrol Enamel Thinners.
Apply thinly with a brush or airbrush. To achieve a higher level of the desired finish, apply additional coats. Do not use in temperatures below 10 degrees C or in conditions of high humidity.	Surface dry in 30 mins. Recoat once dry. Avoid temperature change during application and drying time.	Water.





Hornby Hobbies Limited

Hornby Hobbies Ltd Westwood, Margate, Kent, CT9 4JX, UK +44(0)1843 233525 customerservices.uk@hornby.com

EU Authorised Representative:

Hornby Italia SRL Viale dei Caduti, 52/A6, Castel Mella (BS), Italy, 25030 +39 0687501292

customerservices.it@hornby.com

www.airfix.com

The Humbrol colours printed in this catalogue are approximate and are as accurate as the printing process allows.

This catalogue shows items planned for introduction in 2019. Delivery periods and kit options may be subject to variation.

Some items included in this edition may be subject to Licensor approval.

Catalogue Code: A78199

Issue ID19 RRP: £8.99













